

Chapel Hill Bird Club Weekly Frequency Checklist

ver. 2004.0211

	January	February	March	April	May	June	July	August	Sept	October	Nov	Dec
Fulvous Whistling-Duck					X						X	
Greater White-fronted Goose			X									X
Snow Goose	VF VF VF VF	VF VF VF VF	VF VF							VF VF VF VF	VF VF VF VF	VF VF VF VF
Canada Goose*	C C C C	C C C C	C C C C	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	C C C C	C C C C	C C C C
Brant											X	X
Tundra Swan	VF VF VF VF	VF VF VF VF	VF VF VF VF	X						VF	r r r r	VF VF VF VF
Mute Swan		X X									X	
Wood Duck*	u u u u	u u fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	u u u u	u u u u	u u u u
Gadwall	O O O O	O O O O	r r VF VF	VF VF VF						r r r r	r O O O	O O O O
American Wigeon	O O O O	O O O O	O O O r	r r VF VF	VF					r r O O	O O O O	O O O O
American Black Duck°	u u u u	u u u u	u u u u	O O O O	O r		r O O O O	O O O O	O O O O	u u u u	u u u u	u u u u
Mallard*	C C C C	C C C C	C C C C	fc fc fc fc	fc fc fc fc	fc fc fc fc	C C C C	C C C C	C C C C	C C C C	C C C C	C C C C
Blue-winged Teal*	VF VF VF VF	VF VF VF VF	O O U U	O O O O	O r r VF	VF VF VF VF	VF VF VF r	O O U U	fc u u O	O O r r	r r r r	r VF VF VF
Northern Shoveler	r r r r	r r r r	r O O O	VF VF VF VF					VF r	r r r r	r r r r	r r r r
Northern Pintail	r r O O	O O O O	O r r r	r r					VF VF VF VF	r r r r	r r O O	r r r r
Green-winged Teal	O O O O	O O O O	O O O O	r r r r				VF VF VF	VF r O u	u u u u	u u u u	O O O O
Canvasback	r r O r	r r r r	r r r r	r VF VF							r r r r	r r r r
Redhead	r r O O	O r r r	r r r r	r r r VF						r r	r r r r	r r r r
Ring-necked Duck	fc fc fc fc	fc fc fc fc	fc fc fc O	r r r r	VF VF		X			VF VF r	O fc fc fc	fc fc fc fc
Greater Scaup	VF VF r r	r r r r	VF VF VF							VF	VF VF VF VF	VF VF VF VF
Lesser Scaup	O O O O	O O O O	O O O O	r r r r	r r					r r O	O u O O	O O O O
Surf Scoter	VF										VF VF VF VF	VF VF VF VF
White-winged Scoter	VF VF VF VF	VF VF VF VF									VF VF VF VF	VF VF VF VF
Black Scoter					X					VF	VF VF VF VF	VF VF
Long-tailed Duck	r r VF VF	VF VF VF VF	VF VF VF								VF r r	r r VF VF
Bufflehead	u u u u	u u u u	u O O O	r VF VF VF	VF						r u u u	u u u u
Common Goldeneye	r r r r	r O r r	r r r r							X		O r r r r
Hooded Merganser	u u u u	u u u u	u u u u	u u r r	r r	X		X			O u u	u u u u
Common Merganser°	r r r r	r r r r	r r r r	r r r r	r r		r r r r	r r r r	r r r r	r r r r	r r r r	r r r r
Red-breasted Merganser	r O r r	r r r r	r u u u	O O O r	r r					r r r	r r r r	r r r r
Ruddy Duck	O O O O	O O O O	O O O O	VF VF VF VF	VF VF VF VF	VF VF VF				O O O	O O O O	O O O O
Wild Turkey*	O O O O	O O O O	O O O O	O O O O	O O O O	O O O O	O O O O	O O O O	O O O O	O O O O	O O O O	O O O O
Northern Bobwhite*	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u
Red-throated Loon	VF VF VF VF	VF VF VF VF								VF	VF O r r	VF VF VF VF
Common Loon	r r r r	r r r r	r r r r	r r r r	r r r r	VF VF VF VF	VF		VF VF VF	VF r r O	O u u u	O O r r
Pied-billed Grebe*	fc fc fc fc	fc fc fc fc	fc fc fc fc	u u O O	O r r r	r r r r	r r r r	r r r r	O O O O	u u fc fc	fc fc fc fc	fc fc fc fc
Horned Grebe	u u u u	u u u u	u u u O	r r VF VF	VF					r r O O O	O u u u	u u u u
Red-necked Grebe	VF VF VF r	VF VF VF VF	VF VF VF VF							X		
Eared Grebe	X X	X X X										
Western Grebe											X	
Black-capped Petrel									X			
Sooty Shearwater									X			
Audubon's Shearwater									X			
White-faced Storm-Petrel									X			
Leach's Storm-Petrel									X			
unknown Storm-Petrel							X					
White-tailed Tropicbird							X					
Northern Gannet								X	X			X
American White Pelican		X		X				X			X X X X	X X X X
Brown Pelican							X X	X	X X X X	X X X X	X X X X	X X
Great Cormorant					X							
Double-crested Cormorant*	u u u u	u u u u	fc fc fc fc	C C C C	C C C C	C C C C	C C C C	C C C C	C C C C	fc fc fc fc	u u u u	u u u u
Anhinga				VF VF	VF VF			X				
American Bittern	VF VF VF VF	VF VF VF VF	VF VF VF VF	r r r r	r r		X	VF VF VF	VF VF VF VF	VF VF VF VF	VF VF VF VF	VF VF VF VF
Least Bittern*				VF VF	VF VF VF VF	VF VF VF VF	VF VF VF VF	VF		X		
Great Blue Heron*	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc u u	u u u u	u u u u	u u fc fc	C C C C	C C C C	C C C C	C C C C	C C fc fc
"Great White" Heron								X X				
Great Egret	VF VF VF VF	VF VF VF VF	VF VF r r	r r r r	r r r r	r r r	O u C C	C C C C	C C C C	fc fc u u	r r VF VF	VF VF VF VF
Snowy Egret				VF VF VF VF	VF VF VF VF	VF VF VF VF	r O u O	O O O O	O			
Little Blue Heron				r r r r r	r r		r r	O O u u	u u u u	O r r		
Tricolored Heron				VF VF			r r O u	O O O O	O O O r			
Cattle Egret				r r r r VF			VF VF r r	r r r r	r r r r	r r r r	r VF VF VF	VF VF VF
Green Heron*	VF VF VF VF	VF VF VF VF	VF VF r O	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	O O O O	r r r r	VF VF VF VF
Black-crowned Night-Heron				r r r r	r r		r r	O O O r	r r r r	VF VF VF VF	VF VF	X
Yellow-crnd. Night-Heron*				r r	r r r r	r r r r	O O O O	r r r r	r r r r	VF		
White Ibis				X		VF VF	O u u u	u u u u	O O VF VF	VF VF	X	
Glossy Ibis				r r r r	r VF VF VF		r r r r	r r r r	r r r r	r r r r	r	
Wood Stork						X						
Black Vulture*	fc fc fc fc	fc fc fc fc	fc fc fc fc	u u u u	u u u u	u u u u	u u u u	u u u u	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc
Turkey Vulture*	C C C C	C C C C	C C C C	C C C C	C C C C	C C C C	C C C C	C C C C	C C C C	C C C C	C C C C	C C C C
Osprey*	VF VF VF VF	VF VF VF r	O u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	O O O r	VF VF VF VF
Swallow-tailed Kite				X				X				
Mississippi Kite°				VF VF	VF VF VF	r r r r	VF VF VF VF	VF VF VF VF	VF VF VF VF	VF VF VF		
Bald Eagle*	O O O O	O O O O	O O O O	O O O O	u u fc fc	fc fc fc fc	fc fc fc fc	fc fc u u	u u u u	u u u u	u u O O	O O O O
Northern Harrier	u u u u	u u u u	u u u u	O O O O	O O r VF	VF VF VF VF	r r r r	r r O O	O O u u	u u u u	u u u u	u u u u

Chapel Hill Bird Club Weekly Frequency Checklist

ver. 2004.0211

	January	February	March	April	May	June	July	August	Sept	October	Nov	Dec
Sharp-shinned Hawk*	u u u u	u u u u	u u u u	o o o o	o o r r	r r r r	r r r r	r r o o	o o o u	u u u u	u u u u	u u u u
Cooper's Hawk*	o o o o	o o o o	o o o o	o o o o	o o o o	o o o o	o o o o	o o o o	o o o o	o o o o	o o o o	o o o o
Northern Goshawk	x											x
Red-shouldered Hawk*	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u
Broad-winged Hawk*			r r r	o u u u	u o o o	o o o o	o o o o	o o o o	o o o o	o r r		
Swainson's Hawk												x
Red-tailed Hawk*	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc
Rough-legged Hawk	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr							vr vr
Golden Eagle			x						vr	vr vr vr vr	vr vr vr vr	vr
American Kestrel*	u u u u	u u u u	u u u u	u u o o	o r r r	r r r r	r r r r	r r r r	r o o u	u u u u	u u u u	u u u u
Merlin	r r r r	r r r r	r r r r	r r r r	r			vr vr	vr r r o	o o o r	r r r r	r r r r
Peregrine Falcon	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr			vr vr	vr r r o	o o o o	vr vr vr vr	vr vr vr vr
Yellow Rail									x			
Black Rail°						x x x	x					
King Rail*				vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr	x			
Virginia Rail				vr vr vr	vr			vr vr vr r	vr vr vr vr	vr vr vr vr		x
Sora				r r r r	r		r	r r r r	r r r r	r vr vr		
Common Moorhen				vr vr	vr vr vr				x		vr vr	
American Coot	fc fc fc fc	fc fc fc fc	fc fc fc fc	u u o o	o r r r	r r r r	r r	x	r r r	r u fc fc	fc fc fc fc	fc fc fc fc
Sandhill Crane							x					
Black-bellied Plover					r o o r		r r r	r o o o	o o o o	o o o o	o r r	
American Golden-Plover				vr vr	r			r r	o o o o	o o o o	o r r	
Wilson's Plover					x		x	x				
Semipalmated Plover				r r	r r r		r r r	r o o o	o o o r	r r r vr	vr	x
Piping Plover							x	x x	x			
Killdeer*	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	c c c c	fc fc fc fc	fc fc fc fc	fc fc fc fc
Black-necked Stilt						x						
American Avocet							vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr		
Greater Yellowlegs	r		r r r	o o u u	u r r r	r r r	r o o o	o u u u	u u o o	o o o o	o r r r	r r r r
Lesser Yellowlegs	vr		r r r	o o u u	u r r r		r o o o	o u u u	u u o o	o o o o	r r r r	r r r vr
Solitary Sandpiper				r u fc fc	fc o r		fc fc fc	fc u u u	u o o o	o o r		
Willet					r r		vr vr r r	r r r r	r			
Spotted Sandpiper				r o fc fc	fc o r		r u u u	u u u u	o o o o	o r r vr	vr	
Upland Sandpiper				r r r	r		r r r	r r r r	vr vr vr			
Whimbrel					x		vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr		
Hudsonian Godwit								x	x	x		
Marbled Godwit							vr vr vr	vr vr				
Ruddy Turnstone					r o r r		r r r	r o o o	o o o o	r		
Red Knot							vr vr vr	vr r r r	r r vr vr	vr vr vr vr	vr	
Sanderling					r r		r r r	r o o o	u u u u	r r r r	r vr vr	
Semipalmated Sandpiper				r r	r r r		vr vr r r	o u u u	o o r r	r r		
Western Sandpiper				vr vr vr	vr vr vr		r	r o o o	o r r r	r r r r	vr vr vr vr	vr vr vr
Least Sandpiper			r r	r o o u	u o o		r o o u	u u u u	u o o o	o o o o	o r r r	r r r vr
White-rumped Sandpiper				r r o r			r r r	o o o r	r r r r	r r r r	vr vr vr vr	vr vr
Baird's Sandpiper								r o	r r r r	vr vr		
Pectoral Sandpiper			o o	o o o o	o o		r r u u u	u u u u	u u u o	o o o o	o r r r	r vr vr vr
Dunlin	vr			r r	r r r		x x		r r r	r r u u	u o o o	vr vr vr vr
Stilt Sandpiper							r r r	r u u o	o o o o	o o o o		
Buff-breasted Sandpiper								r r	o o o o	vr vr vr		
Ruff								x	x			
Short-billed Dowitcher				vr vr	vr vr vr		o o o	o u u u	u			
Long-billed Dowitcher					x		vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr		
Wilson's Snipe	u u u u	u u u u	u u u u	u u u o	o	x	vr vr vr	r r o o	o o o o	o o o o	u u u u	u u u u
American Woodcock*	u u u u	u u u u	u o o o	o o o o	o r r r	r r r r	r r r r	r r r r	r r r r	r r r r	r r r r	o o u u
Wilson's Phalarope							r r	r r r r	r r r r	vr vr vr vr	vr	
Red-necked Phalarope						x		vr vr vr	r vr vr vr	vr vr vr		
Red Phalarope									vr vr			
Pomarine Jaeger									x		x	
Parasitic Jaeger									x		x x	
Laughing Gull				r r r r	r r r		r r r	r r r r	r r r r	r r r r	r r r r	r
Little Gull			x x									
Bonaparte's Gull	fc fc fc fc	fc fc fc fc	fc fc fc fc	o o o o	o r r r				x		r o o u u	u u u u
Ring-billed Gull	a a a a	a a a a	a a a a	c c fc fc	fc r r r		r r r r	o o o o	o o o o	o o o o	u u c c	c c a a
Herring Gull	u u u u	u u u u	u u u u	o o o o	o r		r r r	r r r r	r r r r	r r r r	o o u u	u u u u
Lesser Black-backed Gull	vr vr vr vr	vr vr vr vr	vr vr									vr vr vr vr
Glaucous Gull		x			x x							
Great Black-backed Gull	vr vr vr r	r r vr vr	vr vr vr vr	vr vr vr vr	vr		x		x			vr vr vr vr
Caspian Tern				r r o u u	o o		r r	r r o o	o o o o	o o o r	x	
Royal Tern							x	x	vr vr vr vr	vr vr vr vr		
Sandwich Tern								x	x			
Common Tern				r r r	r r r		vr vr r r	r r r r	o o o o			
Forster's Tern	x x			r r r r r	r r r		r r r r	r r r r	o o o o	r r r r	r r	
Least Tern									x	x		
Bridled Tern									x	x		
Sooty Tern									x	x		

Chapel Hill Bird Club Weekly Frequency Checklist

ver. 2004.0211

	January	February	March	April	May	June	July	August	Sept	October	Nov	Dec
Black Tern					vr vr vr	vr vr	vr r o o	o o o o	u o r			
Black Skimmer							x	x	x			
Long-billed Murrelet												x
Rock Pigeon*	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c
Mourning Dove*	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c
Common Ground-Dove					x					x		
Black-billed Cuckoo					r r r			r r	r r r r	r		
Yellow-billed Cuckoo*					r u u u u	u u u u	u u u u	u u u u	u u u u	u o o r	vr vr vr	
Barn Owl ^o	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr
Eastern Screech-Owl*	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u
Great Horned Owl*	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u
Barred Owl*	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u
Short-eared Owl	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr						vr vr vr vr	vr vr vr vr
N. Saw-whet Owl	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr								vr vr vr vr
Common Nighthawk*				r o	o o o o	o o o o	o o o o	o o o u	fc u o r	r vr vr vr		
Chuck-will's-widow*				r r o o	o o o o	o o o o	r r r r	r r r r	r			
Whip-poor-will*				r u	fc fc fc	fc fc fc	u u u u	o o o o	o o o			
Chimney Swift*				r	fc c c c	c c c c	c c c c	c c c c	c c c c	c c c r		
Ruby-throated Hummingbird*	vr vr vr vr	vr vr vr vr	vr vr vr r	o fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	u o o r r	r vr vr vr	vr vr vr vr
Rufous Hummingbird	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr							vr vr vr vr	vr vr vr vr
Belted Kingfisher*	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u
Red-headed Woodpecker*	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u
Red-bellied Woodpecker*	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c
Yellow-bellied Sapsucker	fc fc fc fc	fc fc fc fc	fc fc fc fc	u o r r	r					r o	u u fc fc	fc fc fc fc
Downy Woodpecker*	c c c c	c c c c	c c c c	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	c c c c	c c c c	c c c c
Hairy Woodpecker*	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u
Red-cockaded Woodpecker ^o	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr	vr vr vr vr
N. "Yellow-shafted" Flicker*	c c c c	c c c c	c c c c	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	c c c c	c c c c	c c c c	c c c c
Pileated Woodpecker*	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u
Olive-sided Flycatcher				r	r o			vr vr vr r	r r r r	r r		
Eastern Wood-Pewee*				r o fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc o	r r r r	r r	
Yellow-bellied Flycatcher				vr vr	vr vr vr				vr	vr o r r	x	
Acadian Flycatcher*				o fc	fc fc fc fc	fc fc fc fc	u u u u	o o o o	r r r r	r		
Alder Flycatcher								x				
Willow Flycatcher					vr vr vr vr	vr vr						
Least Flycatcher				r	r				r	r o r r	r	
Pacific-slope Flycatcher	x x											
Eastern Phoebe*	u u u u	u u u u	u u u u	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	u u u u	u u u u
Great Crested Flycatcher*				u fc	fc fc fc fc	fc fc fc fc	u u u u	o o o o	o o o r	r		
Western Kingbird										x		
Eastern Kingbird*	x			r o fc c	c c c c	c c c c	c c c c	c c c c	fc u o r		x	
Scissor-tailed Flycatcher				x								
Loggerhead Shrike*	o o o o	o o o o	o o o o	o o o o	o r r r	r r r r	r r r r	r r r r	r r r r	r r o o	o o o o	o o o o
White-eyed Vireo*	vr			r u	fc c c c	c c c c	c c c c	c c c c	fc fc fc u	o o r r	vr vr vr vr	vr vr vr vr
Blue-headed Vireo*	o o r r	r r r r	r o o o	o o o o	o r r r	r r r r	r r r r	r r r r	r r o o	u u u u	o o o o	o o o o
Yellow-throated Vireo*				r o u u u	u u u u	u u u u	u u u u	u u u u	u u u u	o		x
Warbling Vireo*				vr	vr vr vr vr	vr vr vr vr	vr		x			
Philadelphia Vireo					r r				r o o o	r r		
Red-eyed Vireo*				r u	fc c c c	c c c c	c c c c	c c c c	c c c u	o o r r		
Blue Jay*	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c
American Crow*	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c
Fish Crow*	vr vr vr vr	r r r o	o o o o	u u u u	u u u u	u u u u	u u u u	u u u u	u u u u	r r r r	vr vr vr vr	vr vr vr vr
Common Raven			x									
Horned Lark	vr vr			vr vr			x			vr vr vr vr	vr vr vr vr	vr vr r r
Purple Martin*		r r o	o u fc c	c c c c	c c c c	c c c c	c c c c	c fc u o	r r			
Tree Swallow*		r	o o u c	c fc fc fc	fc u o r	r r r r	r r r r	r r r r	o o o u	u u u u	u o r r	r r
N. Rough-winged Swallow*			r u u	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc u u	o o r r	r r r r		
Bank Swallow			r r r	r r u u	u u u o	r	r r r o	r r r r				
Cliff Swallow*				r o o o	fc u o o	o o o o	o o o o	o o o o	o r			
Barn Swallow*			r o u	c c c c	c c c c	c c c c	c c c c	c c c c	o r r r	vr vr vr		
Carolina Chickadee*	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c
Tufted Titmouse*	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c
Red-breasted Nuthatch	o o o o	o o o o	o o o o	o o r r	r r				r r o	o o o o	o o o o	o o o o
White-breasted Nuthatch*	fc fc fc fc	fc fc fc fc	fc fc fc fc	u u u u	u u u u	u u u u	u u u u	u u u u	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc
Brown-headed Nuthatch*	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc
Brown Creeper	u u u u	u u u u	u u u u	o o r r	r r					o o u	u u u u	u u u u
Carolina Wren*	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c
Bewick's Wren				x	x	x	x			x		
House Wren*	o o o o	o o o o	o o o o	u u u u	u u u u	u u u u	u u u u	u u u u	u u o o	o o o o	o o o o	o o o o
Winter Wren	u u u u	u u u u	u o r r	r r vr					vr vr r r	o o u u	u u u u	u u u u
Sedge Wren	vr vr vr	x		vr vr r	r r				r r r	r r r r	r vr vr vr	vr vr vr vr
Marsh Wren	vr vr vr vr	vr vr vr vr	vr vr vr vr	r r r r	r r				r r r o	o r r r	r vr vr vr	vr vr vr vr
Blue-gray Gnatcatcher*	r r r		r r o u	fc c c c	c c c c	c c c c	c c c c	c c c c	fc fc fc u	o r r r	r r r r	r r r r
Golden-crowned Kinglet	c c c c	c c c c	c c fc u	o r vr	vr vr vr				vr vr	r o u fc	c c c c	c c c c
Ruby-crowned Kinglet	c c c c	c c c c	c c c c	fc fc fc u	o r				vr vr	r o u	fc fc c c	c c c c

Chapel Hill Bird Club Weekly Frequency Checklist

ver. 2004.0211

	January	February	March	April	May	June	July	August	Sept	October	Nov	Dec
D-e "Slate-colored" Junco	a a a a	a a a a	a a c c	fc u o r	r					o u fc c	a a a a	a a a a
Dark-eyed "Oregon" Junco												x
D-e "Pink-sided" Junco		x										
Lapland Longspur	x									vr vr vr		
Smith's Longspur	x											
Snow Bunting	vr vr									vr vr	vr vr vr vr	vr vr vr vr
Northern Cardinal*	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c
Rose-breasted Grosbeak				r o u	u o					r o u u	u o r r	vr vr
Blue Grosbeak*	vr		vr	vr vr vr vr	vr r u c	c c c c	c c c c	c c c c	fc fc fc fc	fc fc fc fc	fc u o r	vr vr vr vr
Indigo Bunting*			vr vr vr	vr r u c	c c c c	c c c c	c c c c	c c c c	c c c c	fc u o r		
Dickcissel*				x	vr vr vr vr	vr vr vr vr	vr vr vr			x		
Bobolink				u c	fc o r	x		r o	o o o o	o r r		
Red-winged Blackbird*	a a a a	a a a a	a a a a	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	a a a a	a a a a
Eastern Meadowlark*	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc
Yellow-headed Blackbird								x	x			
Rusty Blackbird	u u u u	u u u u	u u u u	o o o o	o r					r	r o u u	u u u u
Brewer's Blackbird	vr vr vr			vr vr vr						x	vr vr vr	vr vr vr vr
Common Grackle*	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c
Brown-headed Cowbird*	fc fc fc fc	fc fc fc fc	fc fc fc fc	c c c c	c c c c	c c c c	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc	fc fc fc fc
Orchard Oriole*		vr vr		r u u	u u u u	u u u u	o o o o	o o o o	o o r			
Baltimore Oriole	r r r r	r	r r	r r o u	o r vr vr	vr vr		r o	u u o o	o r r r	r r r r	r r r r
Pine Grosbeak			x									
Purple Finch	u u u u	u u u u	u u u u	u u o o	r r	x			r r	r o o o	o o u u	u fc fc fc
House Finch*	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c
Red Crossbill	vr vr vr vr	vr vr vr vr		x		x				x x		vr
White-winged Crossbill	x	x										
Common Redpoll	vr vr vr vr	vr									vr vr	vr vr vr vr
Pine Siskin	u u u u	u u u u	u u u u	u u o o	o r r r	r				r r o	o u u u	u u u u
American Goldfinch*	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c
Evening Grosbeak	u u u u	u u u u	u u u u	u u o o	o r r r	vr vr				vr vr vr vr	r o o u	u u u u
House Sparrow*	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c	c c c c

Sightings from 1975-3/2002 from Chatham, Durham, and Orange Counties, NC, plus areas of Falls Lake in Granville and Wake Counties. 326 species. Compiled by Will Cook (cwcook@duke.edu) from sightings published in *The Chat* and *The Bulletin* (CHBC) and posted on *Carolinabirds*.

	code	count freq	count avg	description	
abundant	a	100%	>500	always present and easy to find in large numbers	* breeding species
common	c	90-100%	50-500	always present and easy to find in appropriate habitat	° suspected breeding sp.
fairly common	fc	75-100%	20-50	usually present and seen most days in appropriate habitat	
uncommon	u	50-100%	5-20	usually present but not seen most days	
occasional	o	25-75%	1-5	usually present but not seen most weeks	
rare	r	10-50%	<1	may be present but not detected most years	
very rare	vr	5-10%	<1	not present most years	
accidental	x	<5%	<1	five or fewer reports in 25 years/temporally isolated reports	